

Contract Award Notice

Project: P180811-Indonesia Health Systems Strengthening Project

Loan/Credit/TF Info: IBRD-96260

Bid/Contract Reference No: ID-PMU SIHREN-395632-GO-RFB)

Procurement Method: RFB-Request for Bids

Scope of Contract: Procurement of Digital Mobile X-Ray Equipment 2 Units IHSS Project (SIHREN)

Notice Version No: 0

Date Notification of Award Issued

(YYYY/MM/DD)

2025/10/06

Duration of Contract

2 Year(s)

Awarded Bidder(s):

XIANQIN (Tianjin) MEDICAL TECHNOLOGY Co, Ltd

Room 101 and Room 201, Gate 6, Building 5, Carpet Mall, Jingjin E-commerce Industrial Park,
Wuqing District, Tianjin, China

Country:

China

Evaluation Scores:

Technical Score: 24.55

Financial Score: 70.00

Combined Score: 94.55

Bid Price at Opening:

CNY1,427,200.00

Evaluated Bid Price:

IDR3,007,934,205.07

Signed Contract price:

CNY 1,252,200.00

Beneficial Ownership Details

XIANQIN (Tianjin) MEDICAL TECHNOLOGY Co, Ltd

Room 101 and Room 201, Gate 6, Building 5, Carpet Mall, Jingjin E-commerce Industrial Park,
Wuqing District, Tianjin, China

Form Date:

2005-08-26

Summary of Reason:

As per the successful Bidder confirmation, there is no beneficial owner (person) that meets the required conditions in the BoD Form.

Evaluated Bidder(s):

PT Tawada Healthcare

Evaluation Score:

Technical Score: 25.00

Financial Score: 48.53

Combined Score: 73.53

Bid Price at Opening:

USD260,300.00

Evaluated Bid Price:

IDR4,338,601,559.14

PT Fujifilm Indonesia

Evaluation Score:

Technical Score: 18.18

Financial Score: 29.50

Combined Score: 47.68

Bid Price at Opening:

IDR6,568,573,850.00

Evaluated Bid Price:

IDR7,137,375,700.06

PT Murti Indah Sentosa

Evaluation Score:

Technical Score: 21.36

Financial Score: 18.66

Combined Score: 40.03

Bid Price at Opening:

USD781,468.34

Evaluated Bid Price:

IDR11,282,199,497.41

Rejected Bidder(s):

OTOM CO, Ltd

The bidder does not meet the minimum technical specification requirement.

PT. BIOTECH FARMA

The bidder does not meet the minimum technical specification requirement.

PT. GE OPERATIONS INDONESIA

The bidder does not meet the minimum technical specification requirement.